

**Dr. Zhong Lin Wang gave an invited talk at fall MRS conference (Nov. 29, 2006). This is the first introduction of Nano-Piezotronics™ as a field of research in academics. Here is the abstract.**

## **Nanogenerators and Nano-Piezotronics™**

(纳米发电机和纳米压电电子学)

Zhong Lin (ZL) Wang

School of Materials Science and Engineering, Georgia Institute of Technology, Atlanta USA

Developing novel technologies for wireless nanodevices and nanosystems are of critical importance for in-situ, real-time and implantable biosensing, biomedical monitoring and biodetection. An implanted wireless biosensor requires a power source, which may be provided directly or indirectly by charging of a battery. It is highly desired for wireless devices and even required for implanted biomedical devices to be self-powered without using battery. Therefore, it is essential to explore innovative nanotechnologies for converting mechanical energy (such as body movement, muscle stretching), vibration energy (such as acoustic/ultrasonic wave), and hydraulic energy (such as body fluid and blood flow) into electric energy that will be used to power nanodevices without using battery. It also has a huge impact to miniaturizing the size of the integrated nanosystems by reducing the size of the power generator and improving its efficiency and power density. We have demonstrated an innovative approach for converting nano-scale mechanical energy into electric energy by piezoelectric zinc oxide nanowire (NW) arrays. By deflecting the aligned NWs using a conductive atomic force microscopy (AFM) tip in contact mode, the energy that was first created by the deflection force and later converted into electricity by piezoelectric effect has been measured for demonstrating nano-scale power generator. The operation mechanism of the electric generator relies on the unique coupling of piezoelectric and semiconducting dual properties of ZnO as well as the elegant rectifying function of the Schottky barrier formed between the metal tip and the NW.

Based on this principle, piezoelectric-field effect transistor, piezoelectric gated diode, sensors and resonators have been fabricated, which are the fundamental components of *nano-piezotronics*. *Piezotronics* is a field of using piezoelectric effect for fabricating novel and unique electronic devices and components.

- [1] Z.W. Pan, Z.R. Dai and Z.L. Wang\* "Nanobelts of semiconducting oxides", *Science*, 291 (2001) 1947-1949 [The most cited paper in chemistry in 2001-2003 (ISI); having been cited over 1100 times].
- [2] X.Y. Kong, Y. Ding, R.S. Yang, Z.L. Wang\* "Single-crystal nanorings formed by epitaxial self-coiling of polar-nanobelts ", *Science*, 303 (2004) 1348-1351.
- [3] P.X. Gao, Y. Ding, W.J. Mai, W.L. Hughes, C.S. Lao and Z.L. Wang\* "Conversion of Zinc Oxide Nanobelt into Superlattice-Structured Nanohelices", *Science*, 309 (2005) 1700-1704.
- [4] Z.L. Wang\* and J.H. Song "Piezoelectric Nanogenerators Based on Zinc Oxide Nanowire Arrays", *Science*, 312 (2006) 242-246.
- [5] for details visit: <http://www.nanoscience.gatech.edu/zlwang/>